

## **Safety Data Sheet**

**LOCTITE 403** 

Page 1 of 9

SDS No.: 434636

V001.6

Revision: 27.11.2017 printing date: 05.07.2018

#### Identification of the substance/preparation and of the company/undertaking Section 1.

**LOCTITE 403 Product name:** 

LOCTITE 403 BO50G ES Other means of identification:

Product code: IDH231151

Recommended use of the chemical and restrictions on use

Intended use: Adhesive

Identification of manufacturer, importer or distributor

Importer: Henkel Malaysia Sdn Bhd 46th Floor, Menara TM, Jalan Pantai Baharu, 59200 Kuala Lumpur, Malaysia. Phone

:+ 603 22461000 Fax : + 60322461188

E-mail address of person responsible for Safety Data

Sheet:

ap-ua-psra.sea@henkel.com

**Emergency information:** FOR EMERGENCIES ONLY (Spill, major leak, Fire, Exposure, or Accident). Call

CHEMTREC: +1 703-741-5970

#### Section 2. Hazards identification

#### **GHS Classification:**

**Hazard Class Hazard Category** Category 3

Chronic hazards to the aquatic

environment

Chronic hazards to the aquatic

environment

Category 3

**GHS** label elements:

H412 Harmful to aquatic life with long lasting effects. **Hazard statement:** 

**Precaution:** 

**Prevention:** P273 Avoid release to the environment.

Disposal: P501 Dispose of contents/container to an appropriate treatment and disposal facility in

accordance with applicable laws and regulations, and product characteristics at time of

disposal.

SDS No.: 434636 Page 2 of 9

V001.6 LOCTITE 403

## Section 3. Composition / information on ingredients

#### **Substance or Mixture:**

Mixture

#### **Declaration of hazardous chemical:**

Hazard component CAS-No.	Content	GHS Classification
Bis(3-ethyl-5-methyl-4-maleimidophenyl)methane	1- 10 %	Acute hazards to the aquatic environment 1
105391-33-1		H400
		Chronic hazards to the aquatic environment 1
		H410
Bis(2-hydroxy-3-tert-butyl-5-methylphenyl)methane	0.1- 1 %	Toxic to reproduction 2
119-47-1		H361
Hydroquinone	< 0.1 %	Acute toxicity 4; Oral
123-31-9		H302
		Serious eye damage/eye irritation 1
		H318
		Skin sensitizer 1
		H317
		Germ cell mutagenicity 2
		H341
		Carcinogenicity 2
		H351
		Acute hazards to the aquatic environment 1
		H400

## Section 4. First aid measures

**Inhalation:** Move to fresh air, consult doctor if complaint persists.

**Skin contact:** Do not pull bonded skin apart. It may be gently peeled apart using a blunt object such as a

spoon, preferably after soaking in warm soapy water.

Cyanoacrylates give off heat on solidification. In rare cases a large drop will generate

enough heat to cause a burn.

Burns should be treated normally after the adhesive has been removed from the skin. If lips are accidentally stuck together apply warm water to the lips and encourage

maximum wetting and pressure from saliva inside the mouth.

Peel or roll lips apart. Do not try to pull the lips apart with direct opposing action.

Eye contact: If the eye is bonded closed, release eyelashes with warm water by covering with wet pad.

Cyanoacrylate will bond to eye protein and will cause periods of weeping which will help

to debond the adhesive.

Keep eye covered until debonding is complete, usually within 1-3 days.

Do not force eye open. Medical advice should be sought in case solid particles of

cyanoacrylate trapped behind the eyelid cause any abrasive damage.

**Ingestion:** Ensure that breathing passages are not obstructed. The product will polymerise

immediately in the mouth making it almost impossible to swallow. Saliva will slowly

separate the solidified product from the mouth (several hours).

Indication of immediate medical attention and special treatment needed:

See section: Description of first aid measures

#### Section 5. Fire fighting measures

**Suitable extinguishing media:** Foam, extinguishing powder, carbon dioxide.

Fine water spray

SDS No.: 434636 Page 3 of 9 **LOCTITE 403** 

V001.6

Specific hazards arising from the chemical:

In the event of a fire, carbon monoxide (CO) and carbon dioxide (CO2) can be released.

Special protection equipment and

**Hazardous combustion products:** 

Fire fighters should wear positive pressure self-contained breathing apparatus (SCBA).

precautions for firefighters:

Oxides of carbon, oxides of nitrogen, irritating organic vapors.

Additional fire fighting advice:

In case of fire, keep containers cool with water spray.

#### Section 6. Accidental release measures

Personal precautions: Ensure adequate ventilation.

Do not let product enter drains. **Environmental precautions:** 

Do not use cloths for mopping up. Flood with water to complete polymerization and Clean-up methods:

scrape off the floor. Cured material can be disposed of as non-hazardous waste.

#### Section 7. Handling and storage

Handling: Ventilation (low level) is recommended when using large volumes

Use of dispensing equipment is recommended to minimise the risk of skin or eye contact

For optimum shelf life store in original containers under refrigerated conditions at 2 - 8°C Storage:

(35.6 - 46.4 °F)

SDS No.: 434636 Page 4 of 9

V001.6 LOCTITE 403

## Section 8. Exposure controls / personal protection

#### Components with specific control parameters for workplace:

HYDROQUINONE 123-31-9	Value type	Time Weighted Average (TWA):
	mg/m <sup>3</sup>	1
	Remarks	ACGIH
HYDROQUINONE 123-31-9	Value type	Time Weighted Average (TWA):
	mg/m <sup>3</sup>	2
	Remarks	MY OEL

**Respiratory protection:** Ensure adequate ventilation.

An approved mask or respirator fitted with an organic vapour cartridge should be worn if

the product is used in a poorly ventilated area

Filter type: A (EN 14387)

**Hand protection:** The use of chemical resistant gloves such as Nitrile is recommended.

Polyethylene or polypropylene gloves are recommended when using large volumes.

Do not use PVC, rubber or nylon gloves.

Please note that in practice the working life of chemical resistant gloves may be

considerably reduced as a result of many influencing factors (e.g. temperature). Suitable risk assessment should be carried out by the end user. If signs of wear and tear are noticed

then the gloves should be replaced.

**Eye protection:** Wear protective glasses.

Protective eye equipment should conform to EN166.

**Body protection:** Suitable protective clothing

Protective clothing should conform to EN 14605 for liquid splashes or to EN 13982 for

dusts.

**Engineering controls:** Ensure good ventilation/extraction.

**Hygienic measures:** Good industrial hygiene practices should be observed. Do not eat, drink or smoke while

working. Wash hands before work breaks and after finishing work.

## Section 9. Physical and chemical properties

Appearance: Clear, Colorless

Liquid

Odor: No data available.
Odor threshold (CA): No data available.
pH: Not applicable
Melting point / freezing point: No data available.

Specific gravity: 1.1

**Boiling point:** 149 °C (300.2 °F) **Flash point:** 80 °C (176 °F)

(Tagliabue closed cup)

Evaporation rate: No data available.
Flammability (solid, gas): No data available.
Lower explosive limit: No data available.
Upper explosive limit: No data available.
Vapor pressure: < 0.3 mbar
(Noneno method; 50 °C (122 °F)) < 700 mbar

Vapor density: No data available.

Density: 1.1 g/cm3

SDS No.: 434636 Page 5 of 9

V001.6 LOCTITE 403

Solubility: No data available.

Partition coefficient: n- No data available.

octanol/water:

Auto ignition:No data available.Decomposition temperature:No data available.Viscosity:No data available.

**VOC content:** < 3.00 %

(2010/75/EC)

## Section 10. Stability and reactivity

Reactivity/Incompatible

materials:

Rapid exothermic polymerization will occur in the presence of water, amines, alkalis and alcohols.

Chemical stability: Conditions to avoid: Stable under recommended storage conditions. Stable under normal conditions of storage and use.

Hazardous decomposition

**mposition** carbon oxides.

products:

#### Section 11. Toxicological information

Symptoms of Overexposure: Prolonged or repeated contact may cause skin irritation.

Prolonged or repeated contact may cause eye irritation.

#### Acute oral toxicity:

Bis(3-ethyl-5-methyl-4-	Value type	LD50
maleimidophenyl)methane	Value	> 5,000 mg/kg
105391-33-1	Species	rat
	Method	OECD Guideline 401 (Acute Oral Toxicity)
Bis(2-hydroxy-3-tert-butyl-5-	Value type	LD50
methylphenyl)methane	Value	> 10,000 mg/kg
119-47-1	Species	rat
	Method	not specified
Hydroquinone	Value type	LD50
123-31-9	Value	367 mg/kg
	Species	rat
	Method	OECD Guideline 401 (Acute Oral Toxicity)

## Acute dermal toxicity:

Bis(2-hydroxy-3-tert-butyl-5-	Value type	LD50
methylphenyl)methane	Value	> 10,000 mg/kg
119-47-1	Species	rat
	Method	not specified

#### Skin corrosion/irritation:

Bis(3-ethyl-5-methyl-4-	Result	not irritating
maleimidophenyl)methane	Exposure time	4 h
105391-33-1	Species	rabbit
	Method	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)

#### Serious eye damage/irritation:

Bis(3-ethyl-5-methyl-4-	Result	not irritating
maleimidophenyl)methane	Exposure time	24 h
105391-33-1	Species	rabbit
	Method	OECD Guideline 405 (Acute Eye Irritation / Corrosion)

Page 6 of 9 SDS No.: 434636 **LOCTITE 403** 

V001.6

#### Respiratory or skin sensitization:

Bis(3-ethyl-5-methyl-4-	Result	not sensitising	
maleimidophenyl)methane	Test type	Guinea pig maximisation test	
105391-33-1	Species	guinea pig	
	Method	OECD Guideline 406 (Skin Sensitisation)	
Hydroquinone	Result	sensitising	
123-31-9	Test type	Guinea pig maximisation test	
	Species	guinea pig	
	Method	not specified	

## Germ cell mutagenicity:

Bis(3-ethyl-5-methyl-4-	Result	negative
maleimidophenyl)methane	Type of study / Route of administration	bacterial gene mutation assay
105391-33-1	Metabolic activation / Exposure time	with and without
	Method	OECD Guideline 471 (Bacterial Reverse Mutation Assay)
Bis(2-hydroxy-3-tert-butyl-5-	Result	negative
methylphenyl)methane	Type of study / Route of administration	bacterial reverse mutation assay (e.g Ames test)
119-47-1	Metabolic activation / Exposure time	with and without
	Method	OECD Guideline 471 (Bacterial Reverse Mutation Assay)
Hydroquinone	Result	negative
123-31-9	Type of study / Route of administration	bacterial reverse mutation assay (e.g Ames test)
	Metabolic activation / Exposure time	with and without
	Method	EU Method B.13/14 (Mutagenicity)

#### Repeated dose toxicity:

Hydroquinone	Result	NOAEL=>= 250 mg/kg
123-31-9	Route of application	oral: gavage
	Exposure time / Frequency of treatment	14 days5 days/week. 12 doses
	Species	rat
	Method	OECD Guideline 407 (Repeated Dose 28-Day Oral
		Toxicity in Rodents)
Hydroquinone	Result	LOAEL=<= 500 mg/kg
123-31-9	Route of application	oral: gavage
	Exposure time / Frequency of treatment	14 days5 days/week. 12 doses
	Species	rat
	Method	OECD Guideline 407 (Repeated Dose 28-Day Oral
		Toxicity in Rodents)

## Section 12. Ecological information

General ecological information: Biological and Chemical Oxygen Demands (BOD and COD) are insignificant.

**Ecotoxicity:** Do not empty into drains / surface water / ground water., Harmful to aquatic life

with long lasting effects.

## **Toxicity:**

Bis(3-ethyl-5-methyl-4-	Value type	LC50
maleimidophenyl)methane	Value	0.5 mg/l
105391-33-1	Acute Toxicity Study	Fish
	Exposure time	48 h
	Species	Oryzias latipes
	Method	OECD Guideline 203 (Fish, Acute Toxicity Test)
Bis(3-ethyl-5-methyl-4-	Value type	EC50
maleimidophenyl)methane	Value	> 1 - 10 mg/l
105391-33-1	Acute Toxicity Study	Daphnia
	Exposure time	48 h
	Species	Daphnia magna
	Method	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
Bis(2-hydroxy-3-tert-butyl-5-	Value type	EC 50
methylphenyl)methane	Value	> 10,000 mg/l
119-47-1	Acute Toxicity Study	Bacteria
	Exposure time	3 h
	Species	
	Method	OECD Guideline 209 (Activated Sludge, Respiration Inhibition Test)

Hydroquinone	Value type	LC50
123-31-9	Value	0.638 mg/l
	Acute Toxicity Study	Fish
	Exposure time	96 h
	Species	Oncorhynchus mykiss
	Method	OECD Guideline 203 (Fish, Acute Toxicity Test)
Hydroquinone	Value type	EC50
123-31-9	Value	0.134 mg/l
	Acute Toxicity Study	Daphnia
	Exposure time	48 h
	Species	Daphnia magna
	Method	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
Hydroquinone	Value type	EC50
123-31-9	Value	0.335 mg/l
	Acute Toxicity Study	Algae
	Exposure time	72 h
	Species	Selenastrum capricornutum (new name: Pseudokirchneriella subcapitata)
	Method	OECD Guideline 201 (Alga, Growth Inhibition Test)
Hydroquinone	Value type	EC 50
123-31-9	Value	0.038 mg/l
	Acute Toxicity Study	Bacteria
	Exposure time	30 min
	~ .	
	Species	

# Persistence and degradability:

Bis(3-ethyl-5-methyl-4-	Result	not readily biodegradable.
maleimidophenyl)methane	Route of application	aerobic
105391-33-1	Degradability	> 0 - < 60 %
	Method	OECD 301 A - F
Bis(2-hydroxy-3-tert-butyl-5-	Result	under test conditions no biodegradation observed
methylphenyl)methane	Route of application	aerobic
119-47-1	Degradability	0 %
	Method	OECD Guideline 301 C (Ready Biodegradability: Modified MITI Test (I))
Hydroquinone	Result	readily biodegradable
123-31-9	Route of application	aerobic
	Degradability	75 - 81 %
	Method	EU Method C.4-E (Determination of the "Ready" BiodegradabilityClosed Bottle Test)
		Dottie Test)

## **Bioaccumulative potential / Mobility in soil:**

Bis(3-ethyl-5-methyl-4-maleimidophenyl)methane 105391-33-1	Bioconcentration factor (BCF)	674
	Exposure time	
	Species	not specified
	Temperature	
	Method	OECD Guideline 305 (Bioconcentration: Flow-through Fish Test)
Bis(2-hydroxy-3-tert-butyl-5- methylphenyl)methane 119-47-1	Bioconcentration factor (BCF)	320 - 780
	Exposure time	60 d
	Species	Cyprinus carpio
	Temperature	
	Method	OECD Guideline 305 E (Bioaccumulation: Flow-through Fish Test)
Bis(2-hydroxy-3-tert-butyl-5- methylphenyl)methane 119-47-1	LogPow	6.25
	Temperature	20 °C
	Method	OECD Guideline 107 (Partition Coefficient (n-octanol / water), Shake
		Flask Method)
Hydroquinone 123-31-9	LogPow	0.59
	Temperature	
	Method	EU Method A.8 (Partition Coefficient)

SDS No.: 434636 Page 8 of 9

V001.6 LOCTITE 403

#### Section 13. Disposal considerations

#### **Product**

Method of disposal: Cured adhesive: Dispose of as water insoluble non-toxic solid chemical in authorised

landfill or incinerate under controlled conditions.

Dispose of in accordance with local and national regulations.

Contribution of this product to waste is very insignificant in comparison to article in

which it is used

**Packaging** 

**Disposal of uncleaned packages:** After use, tubes, cartons and bottles containing residual product should be disposed of as

chemically contaminated waste in an authorised legal land fill site or incinerated.

## **Section 14. Transport information**

#### Road transport ADR:

Not dangerous goods

#### Railroad transport RID:

Not dangerous goods

Inland water transport ADN:

Not dangerous goods

#### **Marine transport IMDG:**

Not dangerous goods

#### Air transport IATA:

Class: 9
Packing group: III
Packaging instructions (passenger): 964
Packaging instructions (cargo): 964
UN no.: 3334
Label: 9

Proper shipping name: Aviation regulated liquid, n.o.s. (Cyanoacrylate ester)

Additional Information: Primary packs containing less than 500ml are unregulated by this

mode of transport and may be shipped unrestricted.

## Section 15. Regulatory information

Regulatory Information: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous

Chemicals) Regulations 2013 [P.U.(A) 310/213]

Industry Code of Practice on Chemicals Classification and Hazard Communication

#### Global inventory status:

Regulatory list Notification

TSCA yes
NDSL yes
KECI (KR) yes
IECSC yes
NZIOC yes

SDS No.: 434636 Page 9 of 9

V001.6 LOCTITE 403

## Section 16. Other information

Disclaimer:

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.