

# **Safety Data Sheet**

Adhesive

LOCTITE 518 X 50ML CITROEN

Page 1 of 15

SDS No.: 153476

V001.9

Revision: 13.04.2018

printing date: 05.07.2018

# Section 1. Identification of the substance/preparation and of the company/undertaking

LOCTITE 518 X 50ML CITROEN **Product name:** 

Other means of identification: LOCTITE 518 X 50ML CITROEN

IDH442712 **Product code:** 

Recommended use of the chemical and restrictions on use

Intended use: Anaerobic Adhesive

Identification of manufacturer, importer or distributor

Importer: Henkel Malaysia Sdn Bhd 46th Floor, Menara TM, Jalan Pantai Baharu, 59200 Kuala Lumpur, Malaysia.

Phone :+ 603 22461000 Fax : + 60322461188

E-mail address of person

responsible for Safety Data Sheet:

ap-ua-psra.sea@henkel.com

**Emergency information:** 

FOR EMERGENCIES ONLY (Spill, major leak, Fire, Exposure, or Accident). Call

respiratory tract irritation

CHEMTREC: +1 703-741-5970

#### Section 2. Hazards identification

#### **GHS Classification:**

**Hazard Class Hazard Category** Target organ

Category 3

Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 1

Specific target organ toxicity -

single exposure

Chronic hazards to the aquatic

Category 3

environment

#### **GHS** label elements:

Hazard pictogram:



Danger Signal word:

Page 2 of 15

SDS No.: 153476

V001.9

#### LOCTITE 518 X 50ML CITROEN

**Hazard statement:** H315 Causes skin irritation.

H318 Causes serious eye damage. H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

**Precaution:** 

**Prevention:** P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling. P273 Avoid release to the environment. P280 Wear eye protection/face protection.

P280 Wear protective gloves.

**Response:** P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340+P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or physician if you feel unwell. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse.

**Storage:** P403+P233 Store in a well-ventilated place. Keep container tightly closed.

**Disposal:** P501 Dispose of contents/container to an appropriate treatment and disposal facility in

accordance with applicable laws and regulations, and product characteristics at time of

disposal.

# **Section 3.** Composition / information on ingredients

## **Substance or Mixture:**

Mixture

#### **Declaration of hazardous chemical:**

Hazard component CAS-No.	Content	GHS Classification
Acrylic acid	1- 10 %	Flammable liquids 3
79-10-7		H226
		Acute toxicity 4; Oral
		H302
		Acute toxicity 4; Inhalation H332
		Acute toxicity 4; Dermal
		H312
		Skin corrosion/irritation 1A H314
		Specific target organ toxicity - single exposure 3 H335
		Acute hazards to the aquatic environment 1 H400
		Chronic hazards to the aquatic environment 2 H411
Cumene hydroperoxide	1- 10 %	Organic peroxides E
80-15-9		H242
		Acute toxicity 4; Oral H302
		Acute toxicity 3; Inhalation H331
		Acute toxicity 4; Dermal
		H312
		Skin corrosion/irritation 1B H314
		Specific target organ toxicity - repeated exposure 2 H373
		Chronic hazards to the aquatic environment 2 H411
Ethane-1,2-diol	1- 10 %	Acute toxicity 4; Oral
107-21-1		H302
		Specific target organ toxicity - repeated exposure 2; Oral H373
2-Hydroxyethyl methacrylate 868-77-9	0.1- 1 %	Skin corrosion/irritation 2 H315
		Serious eye damage/eye irritation 2
		H319
		Skin sensitizer 1
Acetic acid, 2-phenylhydrazide	0.1- 1%	H317 Acute toxicity 3; Oral
114-83-0	0.1- 1 76	H301
114 03 0		Skin corrosion/irritation 2
		H315
		Serious eye damage/eye irritation 2
		H319
		Skin sensitizer 1 H317
		Carcinogenicity 2
		H351
		Specific target organ toxicity - single exposure 3; Inhalation
		H335
Limonene D	0.1- 1 %	Flammable liquids 3
5989-27-5		H226 Skin corrosion/irritation 2
		H315
		Skin sensitizer 1
		H317
		Aspiration hazard 1
		H304 Acute hazards to the aquatic environment 1
		H400
		Chronic hazards to the aquatic environment 1

SDS No.: 153476

V001.9

#### LOCTITE 518 X 50ML CITROEN

H410

#### Section 4. First aid measures

**Inhalation:** Move to fresh air. If symptoms persist, seek medical advice.

**Skin contact:** Rinse with running water and soap.

Seek medical advice.

Eye contact: Rinse immediately with plenty of running water (for 10 minutes). Seek medical attention if

necessary.

**Ingestion:** Rinse out mouth, drink 1-2 glasses of water, do not induce vomiting.

Indication of immediate medical attention and special treatment

needed:

See section: Description of first aid measures

#### Section 5. Fire fighting measures

Suitable extinguishing media: Carbon dioxide, foam, powder

Specific hazards arising from the

chemical:

Do not expose to direct heat.

Special protection equipment and precautions for firefighters:

Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear.

#### Section 6. Accidental release measures

**Personal precautions:** Avoid skin and eye contact.

Ensure adequate ventilation.

**Environmental precautions:** Do not let product enter drains.

**Clean-up methods:** For small spills wipe up with paper towel and place in container for disposal.

For large spills absorb onto inert absorbent material and place in sealed container for

disposal.

#### Section 7. Handling and storage

**Handling:** Use only in well-ventilated areas.

Prolonged or repeated skin contact should be avoided to minimise any risk of sensitisation.

**Storage:** Store in original containers at 8-21°C (46.4-69.8°F) and do not return residual materials to

containers as contamination may reduce the shelf life of the bulk product.

SDS No.: 153476 V001 0 LOCTITE 518 X 50ML CITROEN

V001.9

#### Section 8. Exposure controls / personal protection

#### Components with specific control parameters for workplace:

ACRYLIC ACID 79-10-7	Value type	Time Weighted Average (TWA):
	ppm	2
	Remarks	ACGIH
ACRYLIC ACID 79-10-7	Value type	Time Weighted Average (TWA):
	ppm	2
	mg/m <sup>3</sup>	5.9
	Remarks	MY OEL
ACRYLIC ACID 79-10-7	Value type	Skin designation:
	Remarks	ACGIH Can be absorbed through the skin.
ACRYLIC ACID 79-10-7	Value type	Skin designation:
	Remarks	MY OEL Can be absorbed through the skin.
ETHYLENE GLYCOL, AEROSOL 107-21-1	Value type	Ceiling Limit Value:
	ppm	39.4
	mg/m <sup>3</sup>	100
	Remarks	MY OEL
ETHYLENE GLYCOL, VAPOR FRACTION 107-21-1	Value type	Time Weighted Average (TWA):
	ppm	25
	Remarks	ACGIH
ETHYLENE GLYCOL, VAPOR FRACTION 107-21-1	Value type	Short Term Exposure Limit (STEL):
	ppm	50
	Remarks	ACGIH
ETHYLENE GLYCOL, AEROSOL ONLY, INHALABLE FRACTION 107-21-1	Value type	Short Term Exposure Limit (STEL):
	mg/m <sup>3</sup>	10
İ	Remarks	ACGIH

**Respiratory protection:** Use only in well-ventilated areas.

An approved mask or respirator fitted with an organic vapour cartridge should be worn if

the product is used in a poorly ventilated area

Filter type: A (EN 14387)

**Hand protection:** Chemical-resistant protective gloves (EN 374).

Suitable materials for short-term contact or splashes (recommended: at least protection

index 2, corresponding to > 30 minutes permeation time as per EN 374):

nitrile rubber (NBR; >= 0.4 mm thickness)

Suitable materials for longer, direct contact (recommended: protection index 6,

corresponding to > 480 minutes permeation time as per EN 374):

nitrile rubber (NBR; >= 0.4 mm thickness)

This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the

gloves should be replaced.

**Eye protection:** Wear protective glasses.

Protective eye equipment should conform to EN166.

**Body protection:** Wear suitable protective clothing.

Protective clothing should conform to EN 14605 for liquid splashes or to EN 13982 for

dusts.

#### LOCTITE 518 X 50ML CITROEN

**Engineering controls:** Ensure good ventilation/extraction.

Hygienic measures: Good industrial hygiene practices should be observed. Wash hands before work breaks

and after finishing work. Do not eat, drink or smoke while working.

#### Section 9. Physical and chemical properties

Appearance: red

gel

Odor: mild

No data available. Odor threshold (CA): Not applicable **Melting point / freezing point:** No data available.

Specific gravity: 1.1

**Boiling point:** > 150 °C (> 302 °F) Flash point: > 100.00 °C (> 212 °F)

(Tagliabue closed cup)

**Evaporation rate:** No data available. Flammability (solid, gas): No data available. Lower explosive limit: No data available. **Upper explosive limit:** No data available. Vapor pressure: < 10 mm hg (; 27 °C (80.6 °F)no method; < 300 mbar

50 °C (122 °F))

Vapor density: No data available.

**Density:** 1.1 g/cm3 No data available. Solubility: Partition coefficient: n-No data available.

octanol/water:

Auto ignition: No data available. No data available. **Decomposition temperature:** No data available. Viscosity:

**VOC** content: < 5 %

(2010/75/EC)

## Section 10. Stability and reactivity

Reactivity/Incompatible Reaction with strong oxidants. Reaction with strong acids. materials:

Reducing agents.

Chemical stability: Stable under recommended storage conditions. Conditions to avoid: No decomposition if used according to specifications. carbon oxides.

Hazardous decomposition products:

Sulphur oxides

nitrogen oxides

Irritating organic vapours.

#### Section 11. Toxicological information

## LOCTITE 518 X 50ML CITROEN

**Oral toxicity:** Acute toxicity estimate (ATE) : > 2,000 mg/kg

Method: Calculation method

 $\label{eq:locality:action} \textbf{Inhalative toxicity:} \qquad \qquad \text{Acute toxicity estimate (ATE):} > 20 \text{ mg/l}$ 

Exposure time: 4 h Test atmosphere: Vapor. Method: Calculation method

**Dermal toxicity:** Acute toxicity estimate (ATE) : > 2,000 mg/kg

Method: Calculation method

Symptoms of Overexposure: RESPIRATORY: Irritation, coughing, shortness of breath, chest tightness.

EYE: Irritation, conjunctivitis. SKIN: Redness, inflammation.

## Acute oral toxicity:

Acrylic acid	Value type	LD50
79-10-7	Value	1,500 mg/kg
	Species	rat
	Method	BASF Test
Cumene hydroperoxide	Value type	LD50
80-15-9	Value	550 mg/kg
	Species	rat
	Method	not specified
Ethane-1,2-diol	Value type	Acute toxicity estimate (ATE)
107-21-1	Value	500 mg/kg
	Species	
	Method	Expert judgement
Ethane-1,2-diol	Value type	LD50
107-21-1	Value	7,712 mg/kg
	Species	rat
	Method	not specified
2-Hydroxyethyl methacrylate	Value type	LD50
868-77-9	Value	> 5,000 mg/kg
	Species	rat
	Method	not specified
Acetic acid, 2-phenylhydrazide	Value type	LD50
114-83-0	Value	270 mg/kg
	Species	rat
	Method	not specified

## Acute inhalative toxicity:

Acrylic acid	Value type	LC50
79-10-7	Value	> 5.1 mg/l
	Exposure time	4 h
	Species	rat
	Method	OECD Guideline 403 (Acute Inhalation Toxicity)
Acrylic acid	Value type	Acute toxicity estimate (ATE)
79-10-7	Value	11 mg/l
	Exposure time	
	Species	
	Method	Expert judgement

## Acute dermal toxicity:

Acrylic acid	Value type	Acute toxicity estimate (ATE)
79-10-7	Value	1,100 mg/kg
	Species	
	Method	Expert judgement
Acrylic acid	Value type	LD50
79-10-7	Value	> 2,000 mg/kg
	Species	rabbit
	Method	OECD Guideline 402 (Acute Dermal Toxicity)
Cumene hydroperoxide	Value type	LD50
80-15-9	Value	1,200 - 1,520 mg/kg
	Species	
	Method	not specified
Ethane-1,2-diol	Value type	LD50
107-21-1	Value	10,600 mg/kg
	Species	rabbit
	Method	not specified
2-Hydroxyethyl methacrylate	Value type	LD50
868-77-9	Value	> 5,000 mg/kg
	Species	rabbit
	Method	not specified

#### Skin corrosion/irritation:

Acrylic acid	Result	highly corrosive
79-10-7	Exposure time	3 min
	Species	rabbit
	Method	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)
Cumene hydroperoxide	Result	corrosive
80-15-9	Exposure time	
	Species	rabbit
	Method	Draize Test
Ethane-1,2-diol	Result	not irritating
107-21-1	Exposure time	20 h
	Species	rabbit
	Method	BASF Test
Limonene D	Result	moderately irritating
5989-27-5	Exposure time	4 h
	Species	rabbit
	Method	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)

Page 9 of 15

SDS No.: 153476 LOCTITE 518 X 50ML CITROEN

V001.9

## Serious eye damage/irritation:

Acrylic acid	Result	corrosive
79-10-7	Exposure time	21 d
	Species	rabbit
	Method	BASF Test
Ethane-1,2-diol	Result	not irritating
107-21-1	Exposure time	
	Species	rabbit
	Method	BASF Test
2-Hydroxyethyl methacrylate	Result	irritating
868-77-9	Exposure time	
	Species	rabbit
	Method	Draize Test

## Respiratory or skin sensitization:

Acrylic acid	Result	not sensitising
79-10-7	Test type	Skin painting test
	Species	guinea pig
	Method	not specified
Ethane-1,2-diol	Result	not sensitising
107-21-1	Test type	Guinea pig maximisation test
	Species	guinea pig
	Method	OECD Guideline 406 (Skin Sensitisation)
Limonene D	Result	sensitising
5989-27-5	Test type	Mouse local lymphnode assay (LLNA)
	Species	mouse
	Method	OECD Guideline 429 (Skin Sensitisation: Local Lymph Node Assay)

Page 10 of 15

# SDS No.: 153476 V001.9

LOCTITE 518 X 50ML CITROEN

# Germ cell mutagenicity:

Acrylic acid	Result	negative
79-10-7	Type of study / Route of administration	mammalian cell gene mutation assay
1.7 10-1	Metabolic activation / Exposure time	with and without
	Method	OECD Guideline 476 (In vitro Mammalian Cell Gene
	Method	Mutation Test)
Acrylic acid	Result	negative
79-10-7	Type of study / Route of administration	DNA damage and repair assay, unscheduled DNA
		synthesis in mammalian cells in vitro
	Metabolic activation / Exposure time	without
	Method	OECD Guideline 482 (Genetic Toxicology: DNA Damage
		and Repair, Unscheduled DNA Synthesis in Mammalian
		Cells In Vitro)
Acrylic acid	Result	negative
79-10-7	Type of study / Route of administration	oral: gavage
	Metabolic activation / Exposure time	
	Species	rat
	Method	OECD Guideline 475 (Mammalian Bone Marrow Chromosome Aberration Test)
Cumene hydroperoxide	Result	positive
80-15-9	Type of study / Route of administration	bacterial reverse mutation assay (e.g Ames test)
00 13 /	Metabolic activation / Exposure time	without
	Method	OECD Guideline 471 (Bacterial Reverse Mutation Assay)
Cumene hydroperoxide	Result	negative
80-15-9	Type of study / Route of administration	dermal
80-13-9	Metabolic activation / Exposure time	dermai
	Species Species	mouse
	Method	
Ethane-1.2-diol	Result	not specified
107-21-1		negative
107-21-1	Type of study / Route of administration	bacterial reverse mutation assay (e.g Ames test)
	Metabolic activation / Exposure time	with and without
Ed. 12.1.1	Method	OECD Guideline 471 (Bacterial Reverse Mutation Assay)
Ethane-1,2-diol 107-21-1	Result	negative
107-21-1	Type of study / Route of administration	oral: feed
	Metabolic activation / Exposure time	
	Species	rat Channa Abanatian Tart
211 1 1 1 1	Method	Chromosome Aberration Test
2-Hydroxyethyl methacrylate	Result	negative
868-77-9	Type of study / Route of administration	bacterial reverse mutation assay (e.g Ames test)
	Metabolic activation / Exposure time	with and without
	Method	OECD Guideline 471 (Bacterial Reverse Mutation Assay)
2-Hydroxyethyl methacrylate	Result	positive
868-77-9	Type of study / Route of administration	in vitro mammalian chromosome aberration test
	Metabolic activation / Exposure time	with and without
	Method	OECD Guideline 473 (In vitro Mammalian Chromosome
		Aberration Test)
2-Hydroxyethyl methacrylate	Result	negative
868-77-9	Type of study / Route of administration	mammalian cell gene mutation assay
	Metabolic activation / Exposure time	with and without
	Method	OECD Guideline 476 (In vitro Mammalian Cell Gene
0.11.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.	D. I.	Mutation Test)
2-Hydroxyethyl methacrylate	Result	negative
868-77-9	Type of study / Route of administration	bacterial reverse mutation assay (e.g Ames test)
	Metabolic activation / Exposure time	with and without
	Method	OECD Guideline 472 (Genetic Toxicology: Escherichia coli, Reverse Mutation Assay)
2-Hydroxyethyl methacrylate	Result	negative
868-77-9	Type of study / Route of administration	oral: gavage
000 11-7	Metabolic activation / Exposure time	oran gavage
		rat
	Species Method	OECD Guidalina 474 (Mammalian Estathrogata
	Wethou	OECD Guideline 474 (Mammalian Erythrocyte
		Micronucleus Test)

# LOCTITE 518 X 50ML CITROEN

## Repeated dose toxicity:

Cumene hydroperoxide	Result	
80-15-9	Route of application	inhalation: aerosol
	Exposure time / Frequency of treatment	6 h/d5 d/w
	Species	rat
	Method	not specified
Ethane-1,2-diol	Result	NOAEL=150 mg/kg
107-21-1	Route of application	oral: feed
	Exposure time / Frequency of treatment	16 wdaily
	Species	rat
	Method	OECD Guideline 408 (Repeated Dose 90-Day Oral
		Toxicity in Rodents)
2-Hydroxyethyl methacrylate	Result	NOAEL=100 mg/kg
868-77-9	Route of application	oral: gavage
	Exposure time / Frequency of treatment	once daily
	Species	rat
	Method	OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity
		Screening Test)

# Section 12. Ecological information

**Ecotoxicity:** 

Harmful to a quatic life with long lasting effects., Do not empty into drains / surface water / ground water.

## **Toxicity:**

Acrylic acid	Value type	LC50
79-10-7	Value	27 mg/l
	Acute Toxicity Study	Fish
	Exposure time	96 h
	Species	Salmo gairdneri (new name: Oncorhynchus mykiss)
	Method	EPA OTS 797.1400 (Fish Acute Toxicity Test)
Acrylic acid	Value type	EC50
79-10-7	Value	95 mg/l
	Acute Toxicity Study	Daphnia
	Exposure time	48 h
	Species	Daphnia magna
	Method	EPA OTS 797.1300 (Aquatic Invertebrate Acute Toxicity Test,
		Freshwater Daphnids)
Acrylic acid	Value type	EC10
79-10-7	Value	0.03 mg/l
	Acute Toxicity Study	Algae
	Exposure time	72 h
	Species	Scenedesmus subspicatus (new name: Desmodesmus subspicatus)
	Method	EU Method C.3 (Algal Inhibition test)
	Value type	EC50
	Value	0.13 mg/l
	Acute Toxicity Study	Algae
	Exposure time	72 h
	Species	Scenedesmus subspicatus (new name: Desmodesmus subspicatus)
	Method	EU Method C.3 (Algal Inhibition test)
Acrylic acid	Value type	EC20
79-10-7	Value	900 mg/l
	Acute Toxicity Study	Bacteria
	Exposure time	30 min
	Species	activated sludge, domestic
	Method	ISO 8192 (Test for Inhibition of Oxygen Consumption by Activated
		Sludge)
Cumene hydroperoxide	Value type	LC50
80-15-9	Value	3.9 mg/l
	Acute Toxicity Study	Fish
	Exposure time	96 h
	Species	Oncorhynchus mykiss
	Method	OECD Guideline 203 (Fish, Acute Toxicity Test)

# LOCTITE 518 X 50ML CITROEN

Cumene hydroperoxide	Value type	EC 50
80-15-9	Value	7 mg/l
00 13 7	Acute Toxicity Study	Daphnia
	Exposure time	24 h
	Species	Water flea (Daphnia magna)
	Method	,
	Value type	EC50
	Value	18 mg/l
	Acute Toxicity Study	Daphnia
	Exposure time	48 h
	Species	Daphnia magna
	Method	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
Cumene hydroperoxide	Value type	ErC50
80-15-9	Value	3.1 mg/l
	Acute Toxicity Study	Algae
	Exposure time	72 h
	Species	Pseudokirchneriella subcapitata
~	Method	OECD Guideline 201 (Alga, Growth Inhibition Test)
Cumene hydroperoxide	Value type	EC10
80-15-9	Value	70 mg/l
	Acute Toxicity Study	Bacteria
	Exposure time	30 min
	Species	· · · · · ·
Ed. 10 P.1	Method	not specified
Ethane-1,2-diol 107-21-1	Value type	LC50
107-21-1	Value Acute Toxicity Study	72,860 mg/l Fish
		96 h
	Exposure time Species	Pimephales promelas
	Method	EPA-660 (Methods for Acute Toxicity Tests with Fish,
	Wethod	Macroinvertebrates and Amphibians)
	Value type	NOEC
	Value	15,380 mg/l
	Acute Toxicity Study	Fish
	Exposure time	7 d
	Species	Pimephales promelas
	Method	other guideline:
Ethane-1,2-diol	Value type	EC50
107-21-1	Value	> 100 mg/l
	Acute Toxicity Study	Daphnia
	Exposure time	48 h
	Species	Daphnia magna
	Method	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
Ethane-1,2-diol	Value type	EC50
107-21-1	Value	> 6,500 - 13,000 mg/l
	Acute Toxicity Study	Algae
	Exposure time	96 h
	Species	Pseudokirchneriella subcapitata
	Method	OECD Guideline 201 (Alga, Growth Inhibition Test)
	Value type	NOEC
	Value	> 100 mg/l
	Acute Toxicity Study	Algae
	Acute Toxicity Study Exposure time	Algae 72 h
	Acute Toxicity Study Exposure time Species	Algae 72 h Pseudokirchneriella subcapitata
	Acute Toxicity Study Exposure time Species Method	Algae 72 h Pseudokirchneriella subcapitata OECD Guideline 201 (Alga, Growth Inhibition Test)
Ethane-1,2-diol	Acute Toxicity Study Exposure time Species Method Value type	Algae 72 h Pseudokirchneriella subcapitata OECD Guideline 201 (Alga, Growth Inhibition Test) EC20
Ethane-1,2-diol 107-21-1	Acute Toxicity Study Exposure time Species Method Value type Value	Algae 72 h Pseudokirchneriella subcapitata OECD Guideline 201 (Alga, Growth Inhibition Test) EC20 > 1,995 mg/l
	Acute Toxicity Study Exposure time Species Method Value type Value Acute Toxicity Study	Algae 72 h Pseudokirchneriella subcapitata OECD Guideline 201 (Alga, Growth Inhibition Test) EC20 > 1,995 mg/l Bacteria
	Acute Toxicity Study Exposure time Species Method Value type Value Acute Toxicity Study Exposure time	Algae 72 h Pseudokirchneriella subcapitata OECD Guideline 201 (Alga, Growth Inhibition Test) EC20 > 1,995 mg/l Bacteria 30 min
	Acute Toxicity Study Exposure time Species Method Value type Value Acute Toxicity Study Exposure time Species	Algae 72 h Pseudokirchneriella subcapitata OECD Guideline 201 (Alga, Growth Inhibition Test) EC20 > 1,995 mg/l Bacteria 30 min activated sludge, domestic
	Acute Toxicity Study Exposure time Species Method Value type Value Acute Toxicity Study Exposure time	Algae 72 h Pseudokirchneriella subcapitata OECD Guideline 201 (Alga, Growth Inhibition Test) EC20 > 1,995 mg/l Bacteria 30 min activated sludge, domestic ISO 8192 (Test for Inhibition of Oxygen Consumption by Activated
107-21-1	Acute Toxicity Study Exposure time Species Method Value type Value Acute Toxicity Study Exposure time Species Method	Algae 72 h Pseudokirchneriella subcapitata OECD Guideline 201 (Alga, Growth Inhibition Test) EC20 > 1,995 mg/l Bacteria 30 min activated sludge, domestic ISO 8192 (Test for Inhibition of Oxygen Consumption by Activated Sludge)
107-21-1  2-Hydroxyethyl methacrylate	Acute Toxicity Study Exposure time Species Method Value type Value Acute Toxicity Study Exposure time Species Method  Value type	Algae 72 h Pseudokirchneriella subcapitata OECD Guideline 201 (Alga, Growth Inhibition Test) EC20 > 1,995 mg/l Bacteria 30 min activated sludge, domestic ISO 8192 (Test for Inhibition of Oxygen Consumption by Activated Sludge) LC50
107-21-1	Acute Toxicity Study Exposure time Species Method Value type Value Acute Toxicity Study Exposure time Species Method  Value type Value Value type Value	Algae 72 h Pseudokirchneriella subcapitata OECD Guideline 201 (Alga, Growth Inhibition Test) EC20 > 1,995 mg/l Bacteria 30 min activated sludge, domestic ISO 8192 (Test for Inhibition of Oxygen Consumption by Activated Sludge) LC50 > 100 mg/l
107-21-1  2-Hydroxyethyl methacrylate	Acute Toxicity Study Exposure time Species Method Value type Value Acute Toxicity Study Exposure time Species Method  Value type Value Acute Toxicity Study	Algae 72 h Pseudokirchneriella subcapitata OECD Guideline 201 (Alga, Growth Inhibition Test) EC20 > 1,995 mg/l Bacteria 30 min activated sludge, domestic ISO 8192 (Test for Inhibition of Oxygen Consumption by Activated Sludge) LC50 > 100 mg/l Fish
107-21-1  2-Hydroxyethyl methacrylate	Acute Toxicity Study Exposure time Species Method Value type Value Acute Toxicity Study Exposure time Species Method  Value type Value Acute Toxicity Study Exposure time Species Method	Algae 72 h Pseudokirchneriella subcapitata OECD Guideline 201 (Alga, Growth Inhibition Test) EC20 > 1,995 mg/l Bacteria 30 min activated sludge, domestic ISO 8192 (Test for Inhibition of Oxygen Consumption by Activated Sludge) LC50 > 100 mg/l Fish 96 h
107-21-1  2-Hydroxyethyl methacrylate	Acute Toxicity Study Exposure time Species Method Value type Value Acute Toxicity Study Exposure time Species Method  Value type Value Acute Toxicity Study Exposure time Species Method	Algae 72 h Pseudokirchneriella subcapitata OECD Guideline 201 (Alga, Growth Inhibition Test) EC20 > 1,995 mg/l Bacteria 30 min activated sludge, domestic ISO 8192 (Test for Inhibition of Oxygen Consumption by Activated Sludge) LC50 > 100 mg/l Fish 96 h Oryzias latipes
2-Hydroxyethyl methacrylate 868-77-9	Acute Toxicity Study Exposure time Species Method Value type Value Acute Toxicity Study Exposure time Species Method  Value type Value Acute Toxicity Study Exposure time Species Method	Algae 72 h Pseudokirchneriella subcapitata OECD Guideline 201 (Alga, Growth Inhibition Test) EC20 > 1,995 mg/l Bacteria 30 min activated sludge, domestic ISO 8192 (Test for Inhibition of Oxygen Consumption by Activated Sludge) LC50 > 100 mg/l Fish 96 h Oryzias latipes OECD Guideline 203 (Fish, Acute Toxicity Test)
107-21-1  2-Hydroxyethyl methacrylate	Acute Toxicity Study Exposure time Species Method Value type Value Acute Toxicity Study Exposure time Species Method  Value type Value Acute Toxicity Study Exposure time Species Method	Algae 72 h Pseudokirchneriella subcapitata OECD Guideline 201 (Alga, Growth Inhibition Test) EC20 > 1,995 mg/l Bacteria 30 min activated sludge, domestic ISO 8192 (Test for Inhibition of Oxygen Consumption by Activated Sludge) LC50 > 100 mg/l Fish 96 h Oryzias latipes

Page 13 of 15

# SDS No.: 153476 V001.9

# LOCTITE 518 X 50ML CITROEN

	Acute Toxicity Study	Daphnia
	Exposure time	48 h
	Species	Daphnia magna
	Method	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
2-Hydroxyethyl methacrylate 868-77-9	Value type	EC50
	Value	836 mg/l
	Acute Toxicity Study	Algae
	Exposure time	72 h
	Species	Selenastrum capricornutum (new name: Pseudokirchneriella subcapitata)
	Method	OECD Guideline 201 (Alga, Growth Inhibition Test)
	Value type	NOEC
	Value	400 mg/l
	Acute Toxicity Study	Algae
	Exposure time	72 h
	Species	Selenastrum capricornutum (new name: Pseudokirchneriella subcapitata)
	Method	OECD Guideline 201 (Alga, Growth Inhibition Test)
2-Hydroxyethyl methacrylate	Value type	EC0
868-77-9	Value	> 3,000 mg/l
	Acute Toxicity Study	Bacteria
	Exposure time	16 h
	Species	Pseudomonas fluorescens
	Method	other guideline:
Limonene D	Value type	LC50
5989-27-5	Value	0.702 mg/l
	Acute Toxicity Study	Fish
	Exposure time	96 h
	Species	Pimephales promelas
	Method	OECD Guideline 203 (Fish, Acute Toxicity Test)
Limonene D 5989-27-5	Value type	EC50
	Value	577 μg/l
	Acute Toxicity Study	Daphnia
	Exposure time	48 h
	Species	Daphnia magna
	Method	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)

# Persistence and degradability:

Acrylic acid	Result	inherently biodegradable
79-10-7	Route of application	aerobic
	Degradability	100 %
	Method	OECD Guideline 302 B (Inherent biodegradability: Zahn-Wellens/EMPA
		Test)
	Result	readily biodegradable
	Route of application	aerobic
	Degradability	81 %
	Method	OECD Guideline 301 D (Ready Biodegradability: Closed Bottle Test)
Cumene hydroperoxide	Result	
80-15-9	Route of application	no data
	Degradability	0 %
	Method	OECD Guideline 301 B (Ready Biodegradability: CO2 Evolution Test)
Ethane-1,2-diol	Result	readily biodegradable
107-21-1	Route of application	aerobic
	Degradability	90 - 100 %
	Method	OECD Guideline 301 A (new version) (Ready Biodegradability: DOC Die
		Away Test)
2-Hydroxyethyl methacrylate	Result	readily biodegradable
868-77-9	Route of application	aerobic
	Degradability	92 - 100 %
	Method	OECD Guideline 301 C (Ready Biodegradability: Modified MITI Test (I))
Limonene D	Result	readily biodegradable
5989-27-5	Route of application	
	Degradability	41 - 98 %
	Method	OECD Guideline 301 C (Ready Biodegradability: Modified MITI Test (I))

# Bioaccumulative potential / Mobility in soil:

Acrylic acid	Bioconcentration factor (BCF)	3.16
79-10-7	Exposure time	

SDS No.: 153476

V001.9

#### LOCTITE 518 X 50ML CITROEN

	Species	
	Temperature	
	Method	QSAR (Quantitative Structure Activity Relationship)
Acrylic acid 79-10-7	LogPow	0.46
	Temperature	25 °C
	Method	OECD Guideline 107 (Partition Coefficient (n-octanol / water), Shake
		Flask Method)
Cumene hydroperoxide	Bioconcentration factor (BCF)	9.1
80-15-9	Exposure time	
	Species	calculation
	Temperature	
	Method	OECD Guideline 305 (Bioconcentration: Flow-through Fish Test)
Cumene hydroperoxide 80-15-9	LogPow	2.16
	Temperature	
	Method	not specified
Ethane-1,2-diol 107-21-1	LogPow	-1.36
	Temperature	
	Method	QSAR (Quantitative Structure Activity Relationship)
2-Hydroxyethyl methacrylate	LogPow	0.42
868-77-9	Temperature	25 °C
	Method	OECD Guideline 107 (Partition Coefficient (n-octanol / water), Shake
		Flask Method)
Acetic acid, 2-phenylhydrazide	LogPow	0.74
114-83-0	Temperature	
	Method	not specified
Limonene D 5989-27-5	LogPow	4.57
	Temperature	
	Method	not specified

#### Section 13. Disposal considerations

#### **Product**

**Method of disposal:** Dispose of in accordance with local and national regulations.

Contribution of this product to waste is very insignificant in comparison to article in

which it is used

#### **Packaging**

Disposal of uncleaned packages: After use, tubes, cartons and bottles containing residual product should be disposed of as

chemically contaminated waste in an authorised legal land fill site or incinerated.

#### Section 14. Transport information

#### **General information:**

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

## **Section 15. Regulatory information**

Regulatory Information: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous

Chemicals) Regulations 2013 [P.U.(A) 310/213]

Industry Code of Practice on Chemicals Classification and Hazard Communication

#### Global inventory status:

Regulatory list Notification

TSCA yes
DSL yes
ENCS (JP) yes
ISHL (JP) yes

Page 15 of 15 SDS No.: 153476 LOCTITE 518 X 50ML CITROEN

V001.9

# Section 16. Other information

Disclaimer:

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.